PRODUCT INFORMATION LEAFLET

1. Product Name

Iodex* Rapid Action Spray

2. Qualitative & Quantitative Composition

Active ingredients: Gandhapura Patra Taila20 % w/v Tarpin Taila......4%w/v Lavanga Taila......2% w/v

Solvent Used:

Isopropyl Alcohol, Light Liquid Paraffin and Liquified Petroleum Gas (LPG)

3. Dosage Form

Topical Analgesic Spray

4. Clinical Particulars

4.1. Uses/ Indications

For the relief of muscular and joint pains e.g. due to simple backache, strains & sprains, etc.

4.2. Posology and method of administration

For topical use only.

For use in adults and children aged 12 years and above.

Shake well before use. Spray the formulation, from a distance of 5 cm, onto the skin where you have pain for 2 to 3 seconds. Apply 3 to 4 times per day.

After application:

- the hands should be wiped with e.g. an absorbent paper, and then washed, unless they are the site being treated.
- Wait until the product dries before showering, bathing.

4.3. Contra-indications

Do not use this product if:

 You are allergic to Gandhapura Patra Taila, Peppermint Satva, Tarpin Taila, Niligiri Taila, Lavanga Taila or any other ingredients of this product.

4.4. Warnings and Precautions

Check with your doctor before use if you are allergic to non-steroidal antiinflammatory medicines used to treat pain, fever or inflammation, such as ibuprofen or aspirin or you have wheezing or shortness of breath or nasal polyps.

Discontinue the treatment if a skin rash develops after applying the product. Do not give this product to children under 12 years of age, unless prescribed by a doctor. Fits (seizures) may occur in children with history of fits.

Keep out of the sight and reach of children.

Be careful not to get this product in your eyes, nostrils and mouth or swallow it. If any of this happens, rinse well with water. See your doctor if any discomfort.

Do not use on open wounds or damaged skin with occlusive dressings or bandage or a heating pad.

If the pain does not improve within 7 days, or it gets worse, consult your doctor.

Important information about some of the ingredients in this product:

Eucalyptus oil: In children below 30 months eucalyptus oil may induce spasm of the muscles around the voice box, causing choking.

Contains liquid petroleum gas, isopropyl alcohol and light liquid paraffin: Be cautions when smoking or near naked flames due to risk of severe burns. This is a pressurized container & contains light liquid paraffin which is potentially flammable when it builds up on fabric (clothing, bedding, dressings etc.) and may not be totally removed by laundering.

4.5. Interaction with other medicaments and other forms of interaction

Check with your doctor before use if:

you are taking medicines used to prevent blood-clotting ("blood thinners" or anticoagulants) as it may result in increased risk of bleeding.

4.6. Pregnancy and lactation

Check with your doctor before use if:

- you are pregnant, think you may be pregnant
- you are breast-feeding
- **4.7. Effects on ability to drive and use machines, if contra-indicated** Not applicable

4.8. Undesirable effects/side effects

With use of this product, you may develop:

Application site hypersensitivity, application site reaction; skin burning sensation, rash, itching.

4.9. Overdosing

Consult your doctor immediately if you apply the medicine more than you should or if you swallow this product.

In case of overdosage, you may also contact the National Poisons Information Centre of India (24*7).

Details of the same are as below: Department of Pharmacology All India Institute of Medical Sciences New Delhi-110029 Toll Free No. - 1800 116 117 Tel No.- 26589391, 26593677

5. Mechanism of action

Methyl salicylate is a salicylic acid derivative that is an irritant to the skin and is used topically in counter-irritant preparations. Menthol: The anti-pruritic and/or analgesic action of menthol is thought to be via transient receptor potential melastatin 8 (TRPM8) activation and/or inhibition of nociceptive sensing TRPA1. Anti-pruritic and/or analgesic activity may be due to menthol's direct activation of Ca2+ currents. Menthol has a cooling-anesthetising effect when applied to the skin. The topical application of menthol to the skin is commonly associated with a cooling sensation (by activation of TRPM8), which may control itching. The analgesic effects of β -pinene (in eucalyptus oil) occurs via mu-opioid receptors; however, 1,8-cineole (in eucalyptus oil) has been demonstrated to elicit this effect via a mechanism that is independent of the mu-opioid receptor. An alternative mechanism of action for the analgesic effect of 1,8-cineole has been suggested to act through indirect depolarisation of neurons. Clove oil, the mechanism of analgesic action is reported to involve targeting of the sodium, calcium, and In line with Methylsalicylate + Menthol- GDS Version 2.0 (07th Jun 2021) Page 3 of 4

IODEX Rapid Action Spray PI version 1

chloride channels. Turpentine oil, possible inhibition of both peripheral and central mechanism (i.e., acting as a narcotic analgesic) has also been suggested as its mechanism of action.

6. Pharmaceutical Particulars

6.1.List of Excipients

Isopropyl Alcohol Light Liquid paraffin Liquified Petroleum Gas (LPG)

6.2. Incompatibilities

Not applicable

6.3.Shelf life

24 months from the date of manufacturing.

6.4. Special storage conditions

Store at ambient room temperature away from direct heat and sunlight. Do not expose to temperature exceeding 50°C. Do not Refrigerate.

6.5.Nature and specification of the container

Aerosol aluminium can attached with continuous spray valve and actuator with dust cap.

6.6.Instructions for Use and Handling

For External Use Only

6.7. Manufacturing License Holder

Pontika Aerotech Limited, Vill. Johron, P.O. Puruwala, Nahan Road, Paonta Sahib, Sirmour District-173001, Himachal Pradesh

6.8. Marketed By

GlaxoSmithKline Pharmaceuticals Limited, Dr. Annie Besant Road, Worli, Mumbai 400030

* Trademarks are owned by or licensed to the GSK Group of companies